## Fire in the Earth System Abstracts

Vol. 1 FES-Climate-fire links-101 Valencia, Spain, 3-7 November, 2021 © Author(s) 2021. CC Attribution 3.0 License



## Climate Drivers of Fire Activity: a Global Assessment

Gincheva, N. Andrina, Jerez, Rodríguez. Sonia and Turco,. Marco

Group MAR, Department of Physics, University of Murcia, Spain

## **Abstract**

A better understanding of the links between climate and fires in a context of global changes is still a scientific challenge. This is due to the complexity of the processes involved, the limitation of observational data and the compound effect of multiple drivers. In particular, it is still not clear enough the relative importance of the direct effect of climate change in regulating fuel moisture (e.g. warmer conditions increasing fuel dryness) and the indirect effects on fuel structure (e.g. drier conditions limiting fuel amount). Here we analyze and model the impact of coincident and antecedent climate conditions on the Burned Area (BA) across the whole global burnable area. We show a statistically significant relationship between fire activity and same-fire season fire weather index, especially over climatologically wet regions, while antecedent wet conditions play a major role over dry regions. The developed model allows a better understanding of the relationships between climate and fires, and appears to be promising for developing a seasonal forecast system that can be a very useful tool in decision-making (Turco et al., 2018).

**Keywords:** climate drivers, fire activity

## References

Turco, M., Jerez, S., Doblas-Reyes, F. J., AghaKouchak, A., Llasat, M. C., & Provenzale, A. (2018). Skilful forecasting of global fire activity using seasonal climate predictions. Nature Communications, 9(1), 2718. https://doi.org/10.1038/s41467-018-05250-0

Acknowledgments: A.G. thanks the Spanish Ministry of Science, Innovation and Universities for the PhD contract FPU19/06536. M.T. is supported by the Spanish Ministry of Science, Innovation and Universities - Spanish State Research Agency and the European Regional Development Fund through the PREDFIRE projects (RTI2018-099711-J-I00, MCI/AEI/FEDER, EU) and the Ramón y Cajal grant (RYC2019-027115-I), and the Seneca Foundation - Science and Technology Agency of the Region of Murcia through the CLIMAX project (20642/JLI/18). S.J. thanks the Spanish Ministry of Science, Innovation and Universities - Agencia Estatal de Investigación and the European Regional Development Fund for the support received through the EASE project (RTI2018 100870 A I00)