

## **PhyFire, an online wildfire simulation tool**

<sup>1</sup>Prieto-Herráez, D., <sup>2</sup>Asensio-Sevilla, M.I., <sup>3</sup>Cascón, J.M. and <sup>4</sup>Pagnini, G

<sup>1</sup>*Applied Mathematics Department, University of Salamanca, Casas del Parque 2, 37008 Salamanca, Spain*

<sup>2</sup>*Applied Mathematics Department, University of Salamanca, Casas del Parque 2, 37008 Salamanca, Spain; Fundamental Physics and Mathematics University Institute, University of Salamanca, Casas del Parque 1, 37008 Salamanca, Spain*

<sup>3</sup>*Economy and Economic History Department, University of Salamanca, Building FES, Campus Miguel de Unamuno, 37007 Salamanca, Spain; Fundamental Physics and Mathematics University Institute, University of Salamanca, Casas del Parque 1, 37008 Salamanca, Spain*

<sup>4</sup>*BCAM-Basque Centre for Applied Mathematics, Alameda de Mazarredo 14, 48009 Bilbao, Spain; Ikerbasque-Basque Foundation for Science, Plaza Euskadi 5, 48009 Bilbao, Spain*

### **Abstract**

In this work we present the wildfire spread tool PhyFire, developed by the research group on Numerical Simulation and Scientific Computation at the University of Salamanca. The PhyFire model is a simplified two-dimensional physical wildfire spread model based on the energy and mass conservation equations, that uses radiation and convection as dominant heat transfer mechanisms, and takes into account some three-dimensional effects. PhyFire is a single-phase model: only the solid phase is considered, the gaseous phase is parameterized through flame temperature and flame height in a non-local radiation term (Asensio et al., 2020). This term allows modelling the radiation from the flame above the fuel layer, enabling it to cope with the effect of wind and slope over the flame tilt. The convective term is critical, as wind is one of the most influential factors in a fire spread. The influence of fuel moisture content and heat absorption by pyrolysis are introduced in the model by means of a multivalued operator representing the enthalpy. The model also allows to simulate random phenomena such as fire-spotting (Asensio et al., 2021). In order to provide a response in a reasonable period of time, the solutions provided by the PhyFire model are approximated by using efficient numerical methods and parallel computation techniques. PhyFire is adapted to data assimilation which allow correcting the uncertainty of a forest fire during the simulation (Ferragut et al., 2015). The PhyFire model is integrated into a GIS environment (Prieto-Herráez et al., 2017) that automates the acquisition and processing of geographic information. In this way, a single environment is available in which the necessary data can be obtained to launch the model, carry out the simulations and show the results, allowing the connection of the mathematical model with the real world. This tool is accessible on a website

(<http://sinumcc.usal.es>), and can be used to carry out a simulation by providing the simulation area, fire ignition location and meteorological data. The developed tool returns the state of landscape (burning, burned and unburned area) for several time steps. In order to adapt the simulation to real situations, fire suppression tactics can be incorporated by modifying the fuel load and type via GIS.

**Keywords:** fire behaviour research, wildland fire spread modelling, wildland fire spread simulator

### References

M.I. Asensio and M.T. Santos-Martín and D. Álvarez-León and L. Ferragut-Canals, Global sensitivity analysis of fuel-type-dependent input variables of a simplified physical fire spread model. *Mathematics and Computers in Simulation*, vol 172, 1, pp. 33-44, (2020). M.I. Asensio and L. Ferragut and D. Álvarez and P. Laiz and J.M. Cascón and D. Prieto-Herráez and G. Pagnini, PhyFire: An Online GIS-Integrated Wildfire Spread Simulation Tool Based on a Semiphysical Model. *Applied Mathematics for Environmental Problems*. SEMA SIMAI Springer Series, vol 6, pp. 1-20, (2021). L. Ferragut and M.I. Asensio and J.M. Cascón and D. Prieto-Herráez, A wildland fire physical model well suited to data assimilation. *Pure and Applied Geophysics*, vol 172, 1, pp. 121-139, (2015). D. Prieto-Herráez and M.I. Asensio and L. Ferragut and J.M. Cascón and A. Morillo, A GIS-based fire spread simulator integrating a simplified physical wildland fire model and a wind field model. *International Journal of Geographical Information Science*, vol 31, 11, pp. 2142--2163, (2017).

**Acknowledgments:** This work has been partially supported by the Department of Education of the regional government, Junta of Castilla y León, Grant contract: SA089P20